

PORCELAIN PAVERS COLLECTION

Volume 1

16, 20 & 30MM THICKNESSES

16mm



20mm






30mm



Thicknesses

Unfold a perfect amalgamation of functionality and durability with outdoor tiles that come in a range of thicknesses including 16mm, 20mm, and 30mm, o ering versatility for various landscaping and architectural applications.

The 16mm thickness is ideal for lighter pedestrian areas while the 20mm option provides durability for moderate foot tra ic and vehicular loads. For heavy-duty outdoor spaces such as driveways or commercial areas, the 30mm thickness o ers robustness and resilience against high impact and weight-bearing requirements. Look no further for a seamless transformation of the outdoors as you discover a seamless option with the Porcelain Pavers Collection by Our.



Versatile Durable Functional

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Sizes Board

Introducing our exclusive collection of outdoor tiles, designed for versatility and style. Available in a range of sizes to suit any exterior style, from expansive patios to cozy balconies. Elevate your outdoor space with unmatched durability and timeless elegance.



PORCELAIN PAVERS COLLECTION



Architectural Colors

OUTDOOR PORCELAIN PAVERS

Add a strong yet subtle personality to your outdoors with simple yet significant earthy colors that reflect the architectural elements. The timeless earthy color palette infuses the outdoors with solidity and durability.

The natural accent details create a visual interest when laid on outdoors, adding a contrasting elegance. These magnificent surfaces reflect the natural beauty and architectural elements very well.

YEAR 2024


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Why choose Porcelain Pavers for your outdoor area?

- Non-Slip (R11) Surface
- Frost Resistant
- Does Not Absorb Water
- D.I.Y. (Easy to Do it Yourself at Home)
- Easy to Clean
- Salt Resistant
- Anti Bacterial
- Resistant to Chemical Products
- Fire Resistant
- Resistant to Breaking Loads
- Resists Sudden Temperature Changes
- Easy to Install
- Moss and Mould Resistant
- Easy to Inspect and Replace
- Impact Resistant
- Resistant to Abrasion
- Resistant to Staining
- Resistant to Blemishes
- Resistant to Deep Scratches
- Sunlight-Resistant Colours
- Safe from Thermal Shock
- Durable
- Acid Resistant

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Index

PRODUCT RANGE

MAGMA
LAVA
EARTHSTONE
ROCK
LIMESTONE
CRYSTAL
FOSSIL
HAMMER STONE
MUSTANG
SAND
QUARTZITE
EVEREST
SLATES
GRANITES
SMOKE
SANDSTONES
BELGIUM
BLUESTONE
MARBLE
WOOD PLANKS

ACCESSORIES

COBBLES STEP-
RISER EDGING
COPING POOL
DRAINS

TECHNICAL SPECIFICATIONS

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >


Product Range

Magma Series







Lava Series









Earthstone Series













Rock Series














Limestone Series










Crystal Series







Fossil Series













Hammer Stone Series








Mustang Series





BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >


Product Range

Sand Series






Quartzite Series




Everest Series









Slates Series














Granites Series








Smoke Series















Sandstones Series






















BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Product Range

Belgium Series








Bluestone Series





Marble Series

Wood Plank Series


















Accessories











BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Magma Series

OUTDOOR PORCELAIN PAVERS



V2




SURFACE


Sizes Available :




600x 1200mm
Random : 5



600x 900mm
Random : 10



800x 800mm
Random : 6



600x 600mm
Random : 10

Thickness

16mm
20mm
30mm




DIY



F ROST RESISTANCE



STAIN RESISTANCE



7221 Magma Silver



7224Magma Anthracite

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Magma Silver**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Magma Anthracite**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Lava Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 5

600x 900mm
Random : 9

800x 800mm
Random : 5

600x 600mm
Random : 16

Thickness


16mm
20mm
30mm



DIY

F ROST RESISTANCE

STAIN RESISTANCE



1071 **Lava Beige**



1068 **Lava Grey**



1044 **Lava Dark Grey**



1100 **Lava Nero**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Lava Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Lava Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Lava Dark Grey**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Lava Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Earthstone Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 3

600x 900mm
Random : 4

800x 800mm
Random : 4

600x 600mm
Random : 5

Thickness

16mm
20mm
30mm



DIY

F ROST RESISTANCE


STAIN RESISTANCE



7204 Earthstone Beige



7206Earthstone Smoke



7203 Earthstone Grey



7202 Earthstone Nero

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Earthstone Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Earthstone Smoke**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Earthstone Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Earthstone Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Rock Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 3

600x 900mm
Random : 6

800x 800mm
Random : 4

600x 600mm
Random : 8

Thickness

16mm
20mm
30mm


DIY

F ROST RESISTANCE

STAIN RESISTANCE




4508 Rock Beige




4506 Rock Bronze



4502 Rock Bianco



4512 Rock Grey



4503 Rock Gris

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rock Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rock Bronze**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rock Bianco**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rock Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rock Gris**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Limestone Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 5

600x 900mm
Random : 5

800x 800mm
Random : 4

600x 600mm
Random : 7

Thickness

16mm
20mm
30mm



DIY



F ROST RESISTANCE



STAIN RESISTANCE



4517 Limestone Ivory



4520 Limestone Ash



4518 Limestone Grey

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Limestone Ivory**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Limestone Ash**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Limestone Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Crystal Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 3

600x 900mm
Random : 4

800x 800mm
Random : 3

600x 600mm
Random : 5

Thickness

16mm
20mm
30mm



DIY

F ROST RESISTANCE

STAIN RESISTANCE

1001 Crystal Bianco



1002 Crystal Gris



1221 Crystal Nero

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Crystal Bianco**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Crystal Gris**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Crystal Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Fossil Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 10

600x 900mm
Random : 9

800x 800mm
Random : 20

600x 600mm
Random : 24

Thickness


16mm
20mm
30mm

DIY


F ROST RESISTANCE

STAIN RESISTANCE

4523 Fossil Beige



4521 Fossil Gris



4525 Fossil Sky



4522 Fossil Nero

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Fossil Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Fossil Gris**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Fossil Sky**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Fossil Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Hammer Stone Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 3

600x 900mm
Random : 3

800x 800mm
Random : 5

600x 600mm
Random : 5

Thickness

16mm
20mm
30mm



DIY

F ROST RESISTANCE

STAIN RESISTANCE



1021 Hammer Stone Beige



1022 Hammer Stone Grey



1023 Hammer Stone Nero

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Hammer Stone Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Hammer Stone Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Hammer Stone Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Mustang Series

OUTDOOR PORCELAIN PAVERS




V3



SURFACE

Sizes Available :



600x 1200mm
Random :4

600x 900mm
Random : 8

800x 800mm
Random : 8

600x 600mm
Random : 8

Thickness


16mm
20mm
30mm



DIY

F ROST RESISTANCE

STAIN RESISTANCE



1015 **Mustang Grey**



1014 **Mustang Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Mustang Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Mustang Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Sand Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random :1

600x 900mm
Random : 2

800x 800mm
Random : 3

600x 600mm
Random : 3

Thickness

16mm
20mm
30mm

DIY

F ROST RESISTANCE

STAIN RESISTANCE



1006 Sand Pearl



1005 Sand Mocha

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Sand Pearl**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Sand Mocha**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Quartzite Series

OUTDOOR PORCELAIN PAVERS




V3



SURFACE

Sizes Available :



600x 1200mm
Random :14

600x 900mm
Random : 14

800x 800mm
Random : 14

600x 600mm
Random : 30

Thickness

16mm
20mm
30mm

DIY

F ROST RESISTANCE

STAIN RESISTANCE



1011 **Quartzite Pearl**



Preview of : **Quartzite Pearl**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Everest Series

OUTDOOR PORCELAIN PAVERS




V3



SURFACE

Sizes Available :



600x 1200mm
Random : 5

600x 900mm
Random : 5

800x 800mm
Random : 10

600x 600mm
Random : 10

Thickness

16mm
20mm
30mm

DIY

F ROST RESISTANCE

STAIN RESISTANCE

1252 Everest Crema



1251 Everest Pearl



1253 Everest Gris



1254 Everest Nero

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Everest Crema**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Everest Pearl**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Everest Gris**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Everest Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Slates Series

OUTDOOR PORCELAIN PAVERS




V4



SURFACE

Sizes Available :



600x 1200mm

600x 900mm

800x 800mm

600x 600mm

Thickness

16mm

20mm

30mm



DIY



F ROST RESISTANCE



STAIN RESISTANCE



1017 Random : Upto 8 **African Slate**




1223 Random : Upto 14 **Casted Slate**



4223 Random : Upto 23 **Grey Slate**



3660 Random : Upto 29 **Copper Slate**



6122 Random : Upto 14 **Black Slate**



1183 Random : Upto 30 **Rust Pennsylvania Bluestone**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **African Slate**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Casted Slate**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Grey Slate**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Copper Slate**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Black Slate**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Rust Pennsylvania Bluestone**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Granites Series

OUTDOOR PORCELAIN PAVERS




V1



SURFACE

Sizes Available :



600x
1200mm

600x
900mm

800x
800mm

600x
600mm

Thickness

16mm

20mm

30mm


DIY

F ROST
RESISTANCE

STAIN
RESISTANCE



1027 Random : Upto 5 G-603



1026 Random : 1 G-654



1098 Random : 1 Basalt

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **G-603**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **G-654**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Basalt**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Smoke Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random :5

600x 900mm
Random : 6

800x 800mm
Random : 5

600x 600mm
Random : 8

Thickness

16mm
20mm
30mm

DIY

F ROST RESISTANCE

STAIN RESISTANCE



1391 Smoke Beige



1393 Smoke Sky



1392 Smoke Taupe



1394 Smoke Grey



1395 Smoke Tobac



1396 Smoke Nero

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Taupe**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Tobac**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Sky**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Smoke Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Sandstones Series

OUTDOOR PORCELAIN PAVERS




V4




SURFACE


Sizes Available :



600x
1200mm



600x
900mm



800x
800mm

600x
600mm

Thickness

16mm
20mm
30mm



DIY



F ROST
RESISTANCE




STAIN
RESISTANCE



1181 Random : Upto 60 Raveena



1085 Random : Upto 44 Raj Green



1090 Random : Upto 31 Sawn Bu




1086 Random : Upto 31 Cedar Green



1084 Random : Upto 20 York Stone



1083 Random : Upto 32 Bu



1081 Random : Upto 31 Sagar Black



1043 Random : Upto 68 Kandla Grey



1061 Random : Upto 8 Kandla Grey Honed

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Raveena**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Raj Green**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Sawn Bu**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Cedar Green**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **York Stone**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Bu**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Sagar Black**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Kandla Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Kandla Grey Honed**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Belgium Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 8

600x 900mm
Random : 16

800x 800mm
Random : 16

600x 600mm
Random : 16

Thickness

16mm
20mm
30mm


DIY

F ROST RESISTANCE

STAIN RESISTANCE



1247 Belgium Gris



1248 Belgium Grafito



1249 Belgium Nero

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Belgium Gris**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Belgium Grafito**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Belgium Nero**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Bluestone Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



600x 1200mm
Random : 2

600x 900mm
Random : 3

800x 800mm
Random : 3

600x 600mm
Random : 4

Thickness


16mm
20mm
30mm




DIY

F ROST RESISTANCE

STAIN RESISTANCE



7241 Bluestone Light



7242 Bluestone Dark

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Bluestone Light**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Bluestone Dark**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Marble Series

OUTDOOR PORCELAIN PAVERS




V3



SURFACE

Sizes Available :



600x 1200mm | **600x 900mm** | **800x 800mm** | **600x 600mm**

Thickness

16mm

20mm


30mm



DIY | F ROST RESISTANCE | STAIN RESISTANCE



1454 Random : 6 **Statuario Gold**



1451 Random : 12 **Elegance Statuario**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Statuario Gold**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Elegance Statuario**

BENEFITS OF PORCELAIN PAVERS >

INDEX >


PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Wood Plank Series

OUTDOOR PORCELAIN PAVERS




V2



SURFACE

Sizes Available :



300x 1200mm

Random : Upto 12

200x 900mm

Random : Upto 24

Thickness

16mm

20mm

30mm

DIY

F ROST RESISTANCE

STAIN RESISTANCE



1103 Wood Grove Beige



1133 Deckwood Amber



1104 Wood Grove Dark



1134 Deckwood Caramel



1116 Wood Grove Light

1131 Deckwood Pearl



1102 Wood Grove Grey



1136 Deckwood Charcoal

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Wood Grove Beige**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Wood Grove Dark**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Wood Grove Light**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Wood Grove Grey**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Deckwood Amber**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Deckwood Caramel**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Deckwood Pearl**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Deckwood Charcoal**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >

Accessories

OUTDOOR PORCELAIN PAVERS

1. Cobbles

Sizes Available :




100x 100mm



100x 200mm

2. Step-Riser



Sizes Available :

STEP	RISER
450x1200mm →	150x1200mm
450x900mm →	150x900mm
300x1200mm →	200x1200mm
300x900mm →	200x900mm

Half Bullnose

Full Bullnose


3. Edging

Size Available :



200x 900mm


4. Coping



Sizes Available :

300x900mm
300x1200mm


5. Pool Drains



Sizes Available :

200x600mm
200x900mm

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Cobbles**

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Step-Riser**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >




Preview of : **Step-Riser**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Step-Riser**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Step-Riser**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Edging**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >



Preview of : **Coping**


BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Preview of : **Coping & Pool Drains**

BENEFITS OF PORCELAIN PAVERS >
INDEX >
PRODUCT RANGE >
ACCESSORIES >
TECHNICAL SPECIFICATIONS >

Technical Specifications

600x1200x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.8MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.4MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 45 N/MM²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10-6K-1 MAX	≤ 4x10-6K-1 MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

Technical Specifications

600x900x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 45 N/MM²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10-6K-1 MAX	≤ 4x10-6K-1 MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

BENEFITS OF PORCELAIN PAVERS >

INDEX >

PRODUCT RANGE >

ACCESSORIES >

TECHNICAL SPECIFICATIONS >



Thank You

SNK SURFACES


Elevating Spaces with Premium Tiles, Worldwide

Reach out to us for enquiries

+353 894 139 274

www.snksurfaces.com

info.snksurfaces.com



SPR.07.24